

1.3

LIKE and REGEXP Operators

LIKE and REGEXP Operators

- The LIKE keyword is used with the WHERE clause.
- The LIKE keyword can use two symbols as wildcards. The percent (%) symbol matches any number of characters and the underscore (_) matches a single character
- REGEXP keyword allows you to do more complex pattern matching than a LIKE keyword/
- Some version of REGEXP exists in many computer languages. Refer to the “LIKE and REGEXP” handout for a full list of examples.

Table 2. LIKE Keyword

LIKE Symbol	Description
%	Match any string of characters to the left of the symbol
_	Match a single character

Code Example:

```
USE world;  
SELECT name  
FROM country  
WHERE name LIKE 'A%'
```

Results:




Table 3. REGEXP Keyword

REGEXP Characters	Description
^	Match the pattern to the beginning of the value being tested.
\$	Match the pattern to the end of the value being tested.
.	Matches any single character.
[charlist]	Matches any single character listed within the brackets.
[char1 – char2]	Matches any single character within the given range.
	Separates two string patterns and matches either one

Code Example:

```
USE world;
SELECT name
FROM country
WHERE name REGEXP 'g[o,u]';
```

Results:

hors

authors

books

authors_books

1

2

3

4

5

USE world;

SELECT name

FROM country

WHERE name REGEXP 'g[o,u]';

<

Result Grid

Filter Rows:

	name
▶	Angola
	Anguilla
	Antigua and Barbuda
	Bosnia and Herzegovina
	Congo, The Democratic Republic of the
	Congo
	Guinea
	Guadeloupe
	Guinea-Bissau
	Equatorial Guinea



This content is provided to you freely by BYU-I Books.

Access it online or download it at https://books.byui.edu/learning_mysql/13_like_and_regexp_o.

